Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	.48	(charged-particle or (charged adj particle)) and (scan\$4-project\$4 or (scan\$4 adj project\$4)) and scanning and (mask or rectile or reticle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:28
L2	39	l1 and pattern\$3 and data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:29
L3	34	I2 and correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:30
L4	2	I3 and (control\$4 with (dose or dosage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:36
L5	3	I3 and (control\$4 and (dose or dosage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:34
L6	. 13	I3 and ((comput\$4 or calculat\$4) with correct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 17:58
L7	3584	(250/492.22,492.23,492.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 17:58
L8		I3 and I7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON T	2005/06/22 17:58